

| Tradename | 1,4 Butanediol |
|-----------|----------------|
|-----------|----------------|

Chemical Composition Catalog Nr

Q540

1.4 Butanediol

CAS Nr 110-63-4

- **Definition 1,4-Butanediol** is the organic compound with the formula HOCH2CH2CH2CH2OH. This colorless viscous liquid is derived from butane by placement of alcohol groups at each end of the chain. It is one of four stable isomers of butanediol.
- Application 1,4-Butanediol is used industrially as a solvent and in the manufacture of some types of plastics, elastic fibers and polyurethanes. In organic chemistry, 1.4-butanediol is used for the synthesis of v-butvrolactone (GBL).
- **Key Functions** used to manufacture valuable polymers

| Parameters | Typical Properties |
|-----------------------------|---------------------------|
| Boiling point @ 760 TORR | 228°C/442°F |
| Freezing Point | 19-20°C |
| Molecular Weight | 90.12 |
| Specific Gravity (20°/20°C) | 1.015 |
| Hydroxyl Value | 1245 |
| Flash Point (Closed Cup) | 115°C/239°F |

Storage & READ AND UNDERSTAND MSDS BEFORE USING OR HANDLING THIS Handling PRODUCT.

Hazard Class

Hazardous Chemical O Non- Hazardous Chemical

UN Nr Class Pack Group

р

We cannot anticipate all conditions under which this information and our products, or the products of other manufacturers in combination with our products, may be used. We accept no responsibility for test results obtained by the application of this information or the safety and suitability of our products, either alone or in combination with other products. Users are advised to make their own test to determine the safety and suitability of each product or product combination for their own purposes. Unless otherwise agreed in writing, we sell the products without warranty, and buyers and users assume all responsibility and liability for loss or damage arising from the handling and use of our products, whether used alone or in combination with other products.